


RECORD CARD FOR SECULAR MONUMENTS.

(N.B.—Detail of special interest is to be entered here, but described fully on a separate card.)

1. Name and situation of Monument (with owner's Name and Address). Upper Cwm
380 yds. E.S.E. of Church.
2. General appearance: (a) No. of storeys. Sing - 2 rather. N wing - 1
(b) Building materials. Stone rubble.
(c) Roofs. Stone slates. N wing - Modern slates.

3. Historical development (with dates and small sketch plan).
A 16th house. N wing added c. 1700.
In modern times an addition has been built on against N wall of N wing.



4. Special features (if any).

5. Elevations: (Beginning with the main front, and mentioning, in the following order:—(a) Walls; (b) Gables; (c) Doors; (d) Windows; (e) Chimneys; (f) Rainwater heads and pipes.)

E. Elev. Gabled. Exposed timbers. On ground floor is a slight, on 1st floor a 4 light + to attic a 3 light blocked window. All of these windows are late 18th c. & have flag stone labels above them. In N wing is a 2 light window of type c. 1700.

S. Elev. Blocked 5 light diamond mullioned window on ground floor with label above.

W. Elev. Gabled. Wall re-built. Late 18th c. 3 light window on ground floor & 4 light on 1st floor.

N. Elev. N. wing concealed by mod. barn. House has blocked window on 1st floor.

The rectangular chimney stack has projecting cap to base & 2 attached square stone shafts with mod brick top.

6. Grounds: (a) Gardens; (b) Outbuildings; (c) Statuary, sundials, etc.

P.T.O.

County. Herefordshire

Parish.

Llanveyne

Sub-Commission.

Secular

No. of Monument.

10

7. Interior: (Disposition of rooms, if original, giving fittings as they occur (see list), beginning with the ground floor, following with the basement, and working up to the attics: staircases in the same manner.)

Fittings:


(Reminder list).

- (1) Ceilings.
- (2) Cupboards (fixed).
- (3) Doors and Overdoors.
- (4) Fireplaces and Mantel-pieces.
- (5) Glass.
- (6) Paintings.
- (7) Panelling.
- (8) Parquetry and floors
- (9) Plasterwork on internal walls.
- (10) Roofs and beams (internal).
- (11) Screens.
- (12) Tapestries.
- (13) Miscellaneous (e.g., carving, ironwork, locks, &c.).



On ground floor is framed partition with stop chamfered posts and wood panels between.

In same partition is doorway with head of framing moulded as in sketch on same is hung on strap hinges a battened door.



Ceilings of ground floor rooms have stop chamfered beams exposed joists.

8. Condition: Fair.

9. Visited by (with dates): A.T. Phillips. May 1927.

10. Bibliography:

11. No. of Ordnance Sheet (6-in.): XLIII. N.E.

12. Signature of Investigator. A.T. Phillips

